

PRODUCT SAFETY INFORMATION SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

2.

	TRADE NAME:	PORON [®] Microcellular Polyurethane Material Covers: 4701-08, 15, 15+, 30, 40, 41, 43, 50, 59, 60 and 4790-79, 4790-92
	CHEMICAL FAMILY:	Urethane Polymer
	HMIS RATING:	H 0 F 1 R 0
	USE OF ARTICLE	Used in Insulation, Gasket and Padding Applications
	DATE ISSUED:	August 03, 2020
	COMPANY/UNDERTAKING IDENTIFICATION:	Rogers Corporation 245 Woodstock Road Woodstock, CT 06281 Phone: 001-860-928-3622 Fax: 001-860-928-7843 Email: MSDSINFO@Rogerscorporation.com
	HAZARDS IDENTIFICATION	
•	HAZARDS IDENTIFICATION CLASSIFICATION OF THE MATERIAL: LABELING REQUIREMENTS: EFFECTS OF OVEREXPOSURE:	NE NE None are expected with normal handling. Cutting and other finishing operations may create polyurethane dust. Ventilation and personnel protection should be similar to all operations generating nuisance dust. IARC has listed carbon black as a Class 2B suspected human carcinogen based on tests with laboratory animals.
	CLASSIFICATION OF THE MATERIAL: LABELING REQUIREMENTS:	NE None are expected with normal handling. Cutting and other finishing operations may create polyurethane dust. Ventilation and personnel protection should be similar to all operations generating nuisance dust. IARC has listed carbon black as a Class 2B suspected human carcinogen based on tests with laboratory animals. Dust may cause respiratory irritation. Remove to fresh air and seek medical
	CLASSIFICATION OF THE MATERIAL: LABELING REQUIREMENTS: EFFECTS OF OVEREXPOSURE:	NE None are expected with normal handling. Cutting and other finishing operations may create polyurethane dust. Ventilation and personnel protection should be similar to all operations generating nuisance dust. IARC has listed carbon black as a Class 2B suspected human carcinogen based on tests with laboratory animals.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an "article" as defined in 20 CFR 1910.1200 and REGULATION (EC) N° 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required. This form is provided as a convenience to our customers.

<u>Chemical Name</u>	<u>CAS No.</u>	<u>EINECS</u> /ELINCS	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH</u> <u>TLV</u>	<u>China</u> <u>OEL</u>	<u>EU</u> Classification
Polyurethane Foam	9009-54-5	618-449-1	>75	NE	NE	NE	Not Classified Under 67/548/EC
Alumina Trihydrate	21645-51-2	244-492-7	<20	15 mg/m ³ (Total Dust)	10 mg/m ³ (AS AL)	NE	Not Classified Under 67/548/EC
Titanium Oxide	13463-67-7	236-675-5	<5	15 mg/m ³ (Resp.)	10 mg/m ³ (Resp.)	NE	NC According to 67/548/EEC
Carbon Black (In Black Material)	1333-86-4	215-609-9	<1	3.5 mg/m ³	3.5 mg/m ³	NE	NC According to 67/548/EEC
Fused Silica	7631-86-9	231-545-4	<1	5 mg/m ³ (Resp.)	3 mg/m ³ (Resp.)	NE	NC according to 67/548/EC
PET	Proprietary	Proprietary	Various	NE	NE	NE	Not Classified Under 67/548/EC

4.	FIRST-AID MEASURES			
	INHALATION:	Remove to fresh air. Ob	otain medical attention if symptoms persist.	
	EYE CONTACT:	Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist.		
	SKIN CONTACT:		contaminated clothing and flush area with water for 15 to dical attention if symptoms persist.	
	INGESTION:	NA		
5.	FIRE-FIGHTING MEASURES			
	FLASH POINT: AUTOIGNITION TEMPERATURE:	NA °C (°F) NA °C (°F)	Flammable Limits: LEL <u>NE</u> UEL <u>NE</u>	
	EXTINGUISHING MEDIA:	X Water Spray X Dry Chemical	<u>X</u> Foam <u>X</u> CO ₂ Other –	

SPECIAL FIRE FIGHTING PROCEDURES:	Decomposition in a fire may produce toxic fumes. Firefighters should be equipped with self-contained breathing apparatus and turnout gear.
UNUSUAL FIRE AND EXPLOSION	Polyurethane materials may generate dense smoke in a fire.

6. ACCIDENTAL RELEASE MEASURES

HAZARDS:

	PERSONAL PRECAUTIONS:	None needed.
	ENVIRONMENTAL PRECAUTIONS:	None needed.
	CLEANING METHODS:	Sweep or shovel into appropriate container for disposal. Avoid creation of nuisance dust.
7.	HANDLING AND STORAGE	
	HANDLING:	Hot wire cutting operations should be exhausted to prevent exposure to irritating vapors. Wear suitable protective equipment, refer to Section 8.
	STORAGE:	Keep in a cool, well-ventilated area.

2 of 4

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	None needed.		
VENTILATION LOCAL: GENERAL:	Recommended in cutting/finishing operations or hot wire cutting operation. Recommended for all industrial operations.		
PERSONAL PROTECTION HAND: EYE: SKIN: OTHER:	Gloves to avoid skin contact if desired. Safety glasses with side-shields are recommended in all industrial operations None Required Safety shower/eyewash in the area.		

9. PHYSICAL AND CHEMICAL PROPERTIES

WATER SOLUBILITY:NoneVAPOR DENSITY:NAVAPOR PRESSURE:NASPECIFIC GRAVITY: $0.2-0.53$ (Water = 1)PARTITION COEFFICIENT:NAEVAPORATION RATE:NARELATIVE DENSITY:NAVISCOSITY:NAAUTO-IGNITION TEMPERATURE:NA °C (°F)DECOMPOSITION TEMPERATURE:NA °C(°F) PH:NAFLAMMABILITY:NA
--

10. STABILITY AND REACTIVITY

STABLE X UNSTABLE

CONDITIONS TO AVOID:NEMATERIALS TO AVOID:NEHAZARDOUS POLYMERIZATION:May OccurHAZARDOUS DECOMPOSITIONCO, CO2, Oxides of nitrogen, HCN, and traces of incompletely burned carbon compounds.
--

11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS:

IARC has listed carbon black as a Class 2B suspected human carcinogen based on tests with laboratory animals.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

13 DISDOSAL CONSIDERATION

13.	DISPOSAL CONSIDERATION	
	PHYSICAL/CHEMICAL PROPERTIES AFFECTING DISPOSAL:	None
	ENVIRONMENTAL TOXICITY DATA: WASTE DISPOSAL METHOD:	NA Dispose of in accordance with applicable federal, state, provincial, and local laws and regulations.
14.	TRANSPORT INFORMATION	
	UN NUMBER: UN PROPER SHIPPING NAME: HAZARD CLASS (ES): PACKING GROUP: ENVIRONMENTAL HAZARDS:	Not Regulated Not Regulated Not Regulated Not Regulated Not Regulated Not regulated for transport by IATA
15.	REGULATORY INFORMATION	
	INTERNATIONAL REGULATIONS: Canadian (DSL/NDSL): Australian (ACIS): Korea (KECI): Japan (ENCS, MITI): China (SEPA) REACH Directive: EU Directive 2011/65/EC (RoHS): European:	NA NA NA Article - exempt Material is classified as an Article Does not contain any intentionally added substances mentioned by the RoHS directive.
	Symbol	Not classified according to directive 1999/45/EC & 2001/60/EC (dangerous preparations).
	R-Phase(s): S-Phase(s): TSCA	NA NA All materials are listed or exempt from TSCA listing.
	(Toxic Substances Control Act): CERCLA (Comprehensive Emergency Response, Compreparation, and Liability Act):	NA
	Compensation, and Liability Act): SARA TITLE III (Superfund Amendments and Reauthorization Act):	NA
	311/312 HAZARD CATEGORIES:	None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

	<u>CAS #</u>	<u>CHEMICAL NAME</u>	PERCENT BY WEIGHT
	NA	NA	NA
16.	OTHER INFORMATION		
	NA = Not Applicable	FILE:	PORON [®] Microcellular Polyurethane Material
	NE = Not Established		99101
	NC = Not Classified	PREPARED BY:	EHS Department
	Date Created: 03/01/2018	REVIEWED BY:	EHS Department

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL